

This document is an extract of a larger publication.

civilgrandjury.org is a project of UnGovr.org, a US-based 501(c)(3) nonprofit dedicated to government transparency and public accountability.



NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Pomona Police Department 490 W. Mission Blvd. Pomona, CA 91776 909-620-2130	12/15/14	Satisfactory	The jail was managed by a civilian company. Cells were very clean and well-lighted.
Rampart Station, LAPD 1401 W. 6th St. Los Angeles, CA 90017 213-484-3400	09/17/14	Satisfactory	No issues noted.
Redondo Beach Police Department 401 Diamond St. Redondo Beach, CA 90277 310-379-2477	08/15/14	Unsatisfactory	The facility was built in the 1950s. Reception area was old and unwelcoming. The holding cell was small compared to cells in other facilities. Pay-to-stay facility. Cameras had been installed but were not yet operational.
San Fernando Police Department 910 First St. San Fernando, CA 91340 818-898-1267	08/29/14	Satisfactory	There was graffiti. Visual and video checks of arrestees in cells were made and documented. The facility had a defibrillator.
San Gabriel Police Department 625 Del Mar Ave. San Gabriel, CA 91778 626-308-2828	10/10/14	Satisfactory	The facility was built in 1962 Alhambra jail was used for booking.
San Marino Police Department 2200 Huntington Dr. San Marino, CA 91107 626-300-0720	09/26/14	Satisfactory	The station had two cells that were used for storage only. This facility did not hold arrestees and it should be closed. Arrestees were booked at Pasadena Police Department.
Santa Monica Police Department 333 Olympic Dr. Santa Monica, CA 90401 323-458-8484	09/19/14	Satisfactory	This was a very clean facility. Staff stated staffing levels were appropriate. Jailers were concerned about MRSA.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Sierra Madre Police Department 242 Sierra Madre Blvd. Sierra Madre, CA 91024 626-355-1414	08/22/14	Satisfactory	This was a very small station. Arrestees were processed at the station then transported to Pasadena Police Department.
Signal Hill Police Department 2745 Walnut Ave, Signal Hill, CA 90755 562-989-7200	09/26/14	Outstanding	A fairly new station. State-of-the-art station was clean. Staff was courteous and polite.
South Gate Police Department 8620 California Ave. South Gate, CA 90280 323-563-5400	09/26/14	Satisfactory	No issues were noted.
South Pasadena Police Department 1422 Mission St. South Pasadena, CA 91030 626-403-7270	09/26/14	Satisfactory	Arrestees were transported to Pasadena Police Department. Cells were utilized for storage.
Southeast Station, LAPD (108th St. Station) 145 W. 108th St. Los Angeles, CA 90061 213-972-7828		Did not inspect	Arrestees were transported to 77th Street Station.
Topanga Station, LAPD 12501 Schoenborn St. Canoga Park, CA 91304 818-778-4800	09/09/14	Satisfactory	No issues were noted.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Torrance Police Department 3300 Civic Center Dr. Torrance, CA 90505 310-618-5631	09/19/14	Satisfactory	The facility was clean. This facility required one male and one female service officer on duty at any given time. Kitchen had stove and conventional oven for heating packaged food. Vegetarian meals were also available. Paint was peeling in the holding cell. This facility had no defibrillator.
Van Nuys Station, LAPD 6240 Sylmar Ave. Van Nuys, CA 91401 818-374-9502	09/12/14	Satisfactory	Facility had defibrillators and the staff had been trained in their use. There was graffiti on the windows.
Vernon Police Department 4305 S. Santa Fe Ave. Vernon, CA 90058 323-587-5171	08/22/14	Outstanding	The facility was small and in excellent condition. It was so clean, it would pass a white-glove inspection. It was used for pay-to-stay with hot meals available. There were video cameras in hallways and cells.
West Covina Police Department 1444 W. Garvey Ave. West Covina, CA 91790 626-939-8500	08/22/14	Satisfactory	No issues noted.
West Los Angeles Station, LAPD 1663 Butler Ave. Los Angeles, CA 90025 310-444-0702	08/22/14	Satisfactory	No issues noted.
West Valley (Reseda) Station, LAPD 19020 Vanowen St. Reseda, CA 91335 818-374-7611	09/19/14	Satisfactory	Arrestees were transported to Van Nuys Station for booking.
Whittier Police Department 7315 S. Painter Ave. Whittier, CA 90602 888-557-0383	10/10/14	Satisfactory	The department utilized contract jailers. The facility had a defibrillator within the jail. Jail personnel were trained in the use of the defibrillator.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Wilshire Station, LAPD 4861 W. Venice Blvd. Los Angeles, CA 90019 213-473-0746	09/19/14	Satisfactory	Staff stated the facility had three defibrillators that were stored unopened; now those batteries were expired. The staff was waiting for the arrival of new defibrillators.

SUMMARY OF LOS ANGELES COUNTY

SHERIFF'S DEPARTMENT LOCKUPS INSPECTED

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Alhambra Courthouse Jail 150 W. Commonwealth Ave. Alhambra, CA 91801 626-308-5209	10/10/14	Satisfactory	There were no defibrillators.
Altadena Station 780 E. Altadena Dr. Altadena, CA 91001 626-798-1131	08/15/14	Satisfactory	Small station. No overnight stays. Arrestees transported to Crescenta Valley Station.
Antelope Valley Court (North District) 42011 4th St. West Lancaster, CA 93534 661-974-7200	11/14/14	Satisfactory	Inmates were segregated by ethnicity. Some graffiti on door in the large jail cell. Two defibrillators were on-site, but not all personnel were trained on them.
Avalon Sheriff Station 215 Sumner Ave. Avalon, CA 90704 310-510-0174	10/17/14	Satisfactory	The sheriff department and courthouse were connected and share a common holding area. The facility was clean, and deputies and jail staff were courteous and forthcoming. One trustee had been working at this facility for roughly a year.
Bellflower Courthouse Jail 10025 Flower St. Bellflower, CA 90706 562-804-8053	09/05/14	Unsatisfactory	Radio dead zones exist in some areas within the courthouse. The refrigerator registered at an unsafe temperature. Staff stated the gun lockup needed to be upgraded and the sally port needed to be enhanced. Alarm systems for exit doors were not operable and need to be fixed.
Beverly Hills Courthouse Jail 9355 Burton Way Beverly Hills, CA 90210 310-288-1310		Did not inspect	The sheriff detention facility was closed.
Burbank Courthouse Jail (N. Central District) 300 E. Olive Ave. Burbank, CA 91502	08/08/14	Satisfactory	The lockup was clean.

818-557-3493			
NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Carson Station 21356 S. Avalon Blvd. Carson, CA 90745 310-830-1123	08/15/14	Satisfactory	The facility was clean. Staff stated staffing levels were appropriate.
Central Arraignment Courthouse Jail 429 Bauchet St. Los Angeles, CA 90012 213-974-6068	09/17/14	Satisfactory	The court does not do arraignments any longer. Arrestees were transported to other jails. The cells were not utilized.
Century Regional Detention Facility (CRDF) 11705 S. Alameda St. Lynwood, CA 90262 323-568-4500	08/21/14	Tour only	The CGJ toured this facility. The facility was clean. Inmates were observed in various classes. Meals were being prepared to be sent to various county facilities and contract municipal police agencies.
Cerritos Station 18135 Bloomfield Ave. Cerritos, CA 90703 562-860-0044	03/04/15	Did not inspect	The jail was not being used.
Compton Courthouse Jail (South Central District) 200 W. Compton Blvd. Compton, CA 90220 310-762-9100	09/26/14	Unsatisfactory	The building was very old. There were scratches throughout the facility. The walls and ceilings in the cells were in poor condition. There was low water pressure in cells and in the lock-up area. Walls and ceilings throughout the facility needed to be painted. Food for inmates was left unrefrigerated and out in the open.
Compton Sheriff's Station 301 S. Willowbrook Ave. Compton, CA 90221 310-605-6500		Did not inspect	Arrestees transported to Century Regional Detention Facility.
Crescenta Valley Station 4554 N. Briggs Ave. La Crescenta, CA 91214 818-248-3464	12/02/14	Satisfactory	This was an older facility.
Criminal Courts (Clara Shorridge Foltz) 210 W. Temple St. Los Angeles, CA 90012 213-974-6581	12/10/14	Satisfactory	There was dim lighting within the holding areas. There was graffiti in holding cells and on elevator doors. The facility was clean.
Downey Courthouse Jail 7500 Imperial Highway	08/08/14	Satisfactory	Staff stated staffing levels were appropriate. The cells were in

Downey, CA 90242 562-803-7044			need of painting.
NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
East Los Angeles Courthouse Jail 4848 E. Civic Center Way Los Angeles, CA 90022 323-780-2017	09/12/14	Unsatisfactory	The turn-out gear does not fit staff and had never been used. There was graffiti all over floor of holding cells. The staffing level was in flux due to court consolidation. There were no defibrillators at this facility. Graffiti needed to be removed.
East Los Angeles Station 5019 E. Third St. Los Angeles, CA 90022 323-264-4151	09/12/14	Satisfactory	No issues noted.
El Monte (Rio Hondo) Courthouse Jail 11234 E. Valley Blvd. El Monte, CA 91731 626-575-4116	08/08/14	Satisfactory	The facility was well-maintained. Staff stated staffing level was appropriate.
Glendale Courthouse Jail 600 E. Broadway Ave. Glendale, CA 91206 818-500-3524	10/17/14	Satisfactory	Packaged lunches were brought in from private vendor. Maintenance of the facility was satisfactory. There were no cameras inside the holding cells.
Industry Station 150 N. Hudson Ave. City of Industry, CA 91744 626-330-3322	03/04/15	Satisfactory	The lighting throughout was substandard. There were no sobering cells.
Inglewood Courthouse Jail One E. Regent St. Inglewood CA 90301 310-419-5132	09/26/14	Satisfactory	An old facility (built in 1976). This facility had separate video recording for courthouse and for the holding area. Pay-to-stay program offered at this facility. This courthouse was holding a drug court graduation on the day the team inspected.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Inglewood Juvenile Courthouse Jail 110 E. Regent St. Inglewood CA 90301 310-419-5132	09/26/14	Unsatisfactory	The facility was built in 1976 and had not been properly maintained (graffiti and peeled paint on the walls, and the floor tile needed to be repaired). The sally port was inadequate, having a narrow path from outside of the building to the courthouse. Packaged food for inmates was delivered and stored in a portable cooler rather than refrigerated. The health inspection was done roughly five months ago, and the facility did not pass. In case of an emergency, a deputy at the detention facility needed to call the dispatcher first before connecting to the 911 Call Center. Staff should be able to call 911 directly to save time. Facility needs to pass health inspections on a regular basis.
LAC+USC Jail Ward 2051 Marengo St. Los Angeles, CA 90033 323-409-4563 323-409-2800	09/05/14	Satisfactory	The facility was clean. Staffing seemed adequate except for the fluctuation in demand for the transportation of inmates to the general emergency area. One portable two-way video monitor for visitation was not working. Bedside visits can be arranged on a case-by-case basis.
Lakewood Sheriff Station 5130 N. Clark Ave. Lakewood, CA 90712 562-623-3500	09/14/14	Satisfactory	Staff stated staffing levels were appropriate.
Lancaster Station 501 W. Lancaster Blvd. Lancaster, CA 93534 661-948-8466	10/16/14	Satisfactory	No issues noted.
LAX Courthouse Jail 11701 S. La Cienega Blvd. Los Angeles, CA 90045 310-727-6020	09/12/14	Satisfactory	There were no defibrillators.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Lomita Station 26123 Narbonne Ave. Lomita, CA 90717 310-539-1661	09/12/14	Satisfactory	The station was clean. Staff stated staffing levels were appropriate.
Long Beach Courthouse Jail George Deukmejian Courthouse Court Services West Bureau 275 Magnolia Ave. Long Beach, CA 90802 562-590-3622	09/19/14	Satisfactory	This was a brand-new facility.
Lost Hills (Malibu Station) 27050 Agoura Rd. Calabasas, CA 91301 818-878-1808	09/02/14	Satisfactory	There were 10 trustees assigned to this facility.
Marina Del Rey Station 13851 Fiji Way Marina Del Rey, CA 90292 310-482-6000	08/29/14	Satisfactory	The facility was fairly old but clean. There were no sobering cells on-site. There were different types of meals available. Cameras had been installed but they had no recording capability. There were two defibrillators in the station and all personnel had been trained in their use. There were four trustees working at this facility full-time.
Men's Central Jail 441 Bauchet St. Los Angeles, CA 90012 213-974-4082	09/17/14	Unsatisfactory	The facility was old but was clean. The old section was built in 1963 and the new section was built in 1973. There were ongoing plumbing problems. The kitchen operation was running well and it was clean. It serviced roughly 20,000 meals per day—mainly packaged food for Central Jail and Twin Towers. A chapel on-site performs services multiple times daily. Staff stated pest control and plumbing were the major issues. The facility was overcrowded.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Mental Health Courthouse Jail 1150 S. San Fernando Rd. Los Angeles, CA 90065 323-266-2908	09/05/14	Satisfactory	Staff stated staffing levels were appropriate. It was an older facility. Ground will be broken on a new facility in 2015.
Metropolitan Traffic Courthouse Jail 1945 S. Hill St. Los Angeles, CA 90007 213-742-1884	08/15/14	Satisfactory	The metal grates in the jail elevator needed painting. The staff stated that inspections by state and local agencies had been conducted but documentation was not available.
Mira Loma Detention 45100 N. 60th St. West Lancaster, CA 93536 661-524-2799		Did not inspect	Facility was closed.
Norwalk Courthouse Jail 12720 Norwalk Blvd. Norwalk, CA 90650 562-807-7256	10/16/14	Satisfactory	Facility was clean. Staff stated staffing levels were appropriate.
Norwalk Station 12335 Civic Center Dr. Norwalk, CA 90650 562-863-8711	10/16/14	Satisfactory	The facility was well-maintained.
Palmdale Station 750 E. Avenue Q Palmdale, CA 93550 661-272-2400	09/26/14	Satisfactory	The facility was in compliance with all regulatory requirements.
Pasadena Courthouse Jail 300 E. Walnut St. Pasadena, CA 91101 626-356-5689	09/12/14	Satisfactory	The walls need painting. Court lockups were clean and well-kept.
Pico Rivera Station 6631 Passons Blvd. Pico Rivera, CA 90660 562-949-2421	08/29/14	Satisfactory	A small station. It was well-lit and clean. The floor was clean but the coating was peeling and needed refurbishing. Cameras were needed in holding cells.
Pitchess Detention Center (The East Facility) 29310 The Old Road Castaic, CA 91384 661-295-8815		Did not inspect	Facility was closed.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Pitchess Detention Center (The North Facility) 29320 The Old Road Castaic, CA 91384 661-295-8840	08/26/14	Tour only	The entire CGJ toured this facility. No issues were observed.
Pitchess Detention Center (The South Facility) 29330 The Old Road Castaic, CA 91384 662-295-8805	08/26/14	Tour only	The entire CGJ toured this facility. The CGJ observed an Education Based Incarceration Program in place.
Pitchess North County Correctional Facility (NCCF) 29340 The Old Road Castaic, CA 91384 661-295-7810	01/12/15	Outstanding	Inmates received a variety of vocational training and they can obtain certificates of completion. The print shop program used state-of-the-art equipment. Inmates received anger-management training when appropriate. Leadership had promoted good morale and ongoing training for the staff. State-of-the-art medical equipment transmits inmates' vital signs from the jail to a doctor for medical treatment.
Pomona Courthouse Jail 400 W. Mission Blvd. Pomona, CA 91766 909-802-9944	08/15/14	Satisfactory	Lockup was very clean.
San Dimas Station 270 S. Walnut Ave. San Dimas, CA 921773 909-450-2700	09/12/14	Satisfactory	The facility was very clean and well-maintained. Sobering cell floor was damaged and work order was in place. Video visitations were initiated last year as a pilot program.
San Fernando Court— North Valley District 900 Third St. San Fernando, CA 91340 818-898-2403	08/08/14	Satisfactory	Staff stated staffing levels were appropriate.
Santa Clarita Courthouse Jail 23747 W. Valencia Blvd. Valencia, CA 91355 661-255-7439	09/05/14	Satisfactory	The holding cells had a large amount of graffiti. The staff stated that sheriff's buses were not cleaned regularly.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Santa Clarita Valley Station 23740 W. Magic Mountain Parkway Valencia, CA 91355 661-255-1121	09/05/14	Satisfactory	Staff stated staffing levels were adequate. The facility was waiting for new cameras. There was graffiti in the cells. There were no defibrillators.
South Los Angeles Sheriff's Station 13210 W. Imperial Highway Los Angeles, CA 90012 323-820-6700	09/12/14	Satisfactory	This was a new facility. It was well-maintained. Staff stated staffing levels were appropriate.
Temple City Station 8838 Las Tunas Dr. Temple City, CA 91780 626-285-7171	09/05/14	Satisfactory	A clean facility. Video cameras allowed staff to monitor detainees in their cells. Staff indicated that the video equipment was old and needed to be upgraded.
Torrance Courthouse Jail 825 Maple Ave. Torrance, CA 90503 310-222-1785	08/08/14	Satisfactory	This was a clean facility. The check-in area for inmates prior to their court appearances was relatively small and cramped. The watch commander suggested this facility be equipped with portable video court arraignment (specifically for the difficult inmates with mental and health issues) to reduce transportation of inmates to and from the court.
Twin Towers Correctional Facility (Twin Towers) 450 Bauchet St. Los Angeles, CA 90012 213-893-5100	08/18/14	Tour only	The CGJ toured this facility. The captain and operations lieutenant participated in the tour. The CGJ observed that the gate to the medicine dispensing room was open and unattended.
Van Nuys Courthouse West (Northwest Judicial District) 14400 Erwin Street Mall Van Nuys, CA 91401 818-374-2511	09/12/14	Satisfactory	This was a clean facility. Staff stated staffing levels were appropriate. There were no defibrillators. No issues were noted.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Walnut/Diamond Bar Station 21695 E. Valley Blvd. Walnut, CA 91790 909-595-2264	09/12/14	Satisfactory	A well-maintained facility. The facility was operated by civilian personnel.
West Covina Courthouse Jail 1427 W. Covina Parkway West Covina, CA 91790 626-813-3239	08/22/14	Satisfactory	Staff stated staffing levels were appropriate. The facility needs a backup power generator.
West Hollywood Station 780 N. San Vicente Blvd. West Hollywood, CA 90089 310-855-8850	09/19/14	Satisfactory	Staff stated staffing levels were appropriate. There were no cameras in the cells. Defibrillators were available. There were eight trustees working at this facility.
Whittier Courthouse Jail 7339 S. Painter Ave. Whittier, CA 90602 562-567-9200		Did not inspect	Facility was closed.

SUMMARY OF LOS ANGELES COUNTY

PROBATION DEPARTMENT LOCKUPS,

JUVENILE CAMPS, AND HALLS INSPECTED

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
COURTHOUSES			
Alfred McCourtney Juvenile Justice Center 1040 W. Avenue J Lancaster, CA 93534 661-949-6503	11/14/14	Satisfactory	No issues noted.
Ed Edelman Children's Court 201 Centre Plaza Dr. #2700 Monterey Park, CA 91754 323-526-6610	10/30/14	Satisfactory	No issues noted.
LA County Kenyon- Juvenile Justice Center 7625 S. Central Ave. Los Angeles, CA 90001 323-587-8937		Did not inspect	Facility was closed.
JUVENILE HALLS			
Barry J. Nidorf Juvenile Hall (Sylmar Juvenile) 16350 Filbert St. Sylmar, CA 91342 818-364-2011	10/10/14	Satisfactory	Staff stated overtime utilized to fill positions vacant due to promotions.
Central Juvenile Hall (Eastlake Juvenile) 1605 Eastlake Ave. Los Angeles, CA 90033 323-226-8611		Did not inspect	Ongoing inspection by multiple agencies.
Los Padrinos Juvenile Hall 7285 Quill Dr. Downey, CA 90242 562-940-8681	10/10/14	Satisfactory	Inspection team observed construction in progress on issues noted by the prior grand jury. The minors appeared engaged in school activities.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
JUVENILE CAMPS			
Camp Clinton B. Afflerbaugh 6631 N. Stephens Ranch Rd. La Verne, CA 91750 909-593-4937	10/17/14	Unsatisfactory	Overall, the facility was dirty. Staff stated that staffing levels were inadequate. The first aid kit had no supplies.
Camp David Gonzales 1301 N. Las Virgenes Rd. Calabasas, CA 91302 818-222-1192	11/14/14	Outstanding	The camp housed 30 minors. Students were engaged and enthusiastic, and teacher was effective in this hands-on learning environment.
Camp Fred Miller 433 S. Encinal Canyon Rd. Malibu, CA 90265 818-889-0260	10/24/14	Satisfactory	Due to proximity of pending construction at Camp Kilpatrick next door, facility was not operating at full capacity.
Camp John Munz 42220 N. Lake Hughes Rd. Lake Hughes, CA 93532 661-724-1211	10/31/14	Satisfactory	The facility had a capacity of 85 but housed 45 minors at the time of the inspection. The restrooms needed cleaning and the basketball court needed resurfacing.
Camp Joseph Paige 6601 N. Stephen Ranch Rd. La Verne, CA 91750 909-593-4921	10/17/14	Satisfactory	The facility was well-run and organized. The staff stated that there was a staffing need.
Camp Joseph Scott (Girls Camp) 28700 N. Bouquet Canyon Rd. Santa Clarita, CA 91390 661-296-8500	09/25/14	Satisfactory	The facility was well-run. The inspection team observed that minors were engaged in the classroom. A couch in one of the dorms needed to be replaced.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Camp Glenn Rockey 1900 N. Sycamore Canyon Rd. San Dimas, CA 91773 909-599-2391	10/24/14 10/31/15	Unsatisfactory Satisfactory	On this date the inspection team observed that the dormitory floors needed sweeping and the shower area was dirty and had an odor. On reinspection, previously reported issues had been corrected.
Camp Kenyon Scudder (Girls Camp) 28750 N. Bouquet Canyon Rd. Santa Clarita, CA 91390 661-296-8811	10/17/14	Satisfactory	The current population was 29. This camp was for low-risk girls. There was no light in the parking area. This created a security issue and needed to be addressed. Minors appeared to be focused in the classroom.
Camp Louis Routh 12500 Big Tujunga Canyon Rd. Tujunga, CA 91042 818-352-4407		Did not inspect	This camp was closed.
Camp Vernon Kilpatrick 427 S. Encinal Canyon Rd. Malibu, CA 90265 818-889-1353		Did not inspect	The camp was closed due to construction.
Camp William Mendenhall 42230 Lake Hughes Rd. Lake Hughes, CA 93532 661-724-1213	10/31/14	Satisfactory	The facility had a capacity of 100. It currently had a population of 52 minors. The minors appeared to be engaged in the classroom.
Challenger—Gregory Jarvis 5300 W. Ave. I Lancaster, CA 93536 661-940-4111	08/19/14	Tour only	CGJ toured this facility. Minors appeared engaged in the classroom. Vocational training was provided to the minors. Staff indicated a need for materials for vocational training.
Challenger—Ellison Onizuka 5300 W. Ave. I Lancaster, CA 93536 661-940-4144	08/19/14	Tour only	See Challenge—Gregory Jarvis comments.

NAME ADDRESS PHONE NUMBER OF FACILITY	DATE	INSPECTION RESULTS	COMMENTS
Challenger—Ronald McNair 5300 W. Ave. I Lancaster, CA 93536 661-940-4146	08/19/14	Tour only	See Challenger—Gregory Jarvis comments.
Dorothy Kirby Center 1500 S. McDonnell Ave. Los Angeles, CA 90022 323-981-4301	10/20/14	Outstanding	All minors in this facility had emotional, mental, and behavioral problems. The facility offered a co-educational program. Three agencies (Probation, Mental Health, and the Los Angeles County Office of Education) worked cooperatively to achieve an integrated therapeutic environment for the residents. Group therapy, the backbone of the treatment program, was provided weekly to cottage-living groups. The facility looked more like a school campus than like a detention center.

FINDINGS

1. During the course of the CGJ's inspection of municipal police jails. CGJ noted that Los Angeles Police Department (LAPD) had closed six jails: Devonshire, Foothill, Harbor, Southwest, Wilshire, and Southeast jails. The closure of these facilities required arresting officers to transport arrestees to a centrally located jail. This created a strain on police manpower in the field. Based on information received from LAPD, the closure of the above-mentioned jails was due to a lack of detention officers. To reopen the temporarily closed jails would require 62 additional detention officers; in addition, 75 police officer IIs currently back-fill for the vacant detention officer positions at other stations. LAPD's jail division is currently holding a detention officer academy class, and a second class was planned for June 2015.
2. At one Los Angeles County Sheriff's Department courthouse lockup inspected by the committee, deputies described the process of handling prisoners in a manner that would prevent the spread of staph bacteria called Methicillin-resistant Staphylococcus aureus (MRSA). When prisoners arrive, they are attached to a chain by individual handcuffs. Wearing gloves, the deputies detach prisoners from their handcuffs and chain. The deputies apply and clean the hardware with a specially designed disinfectant spray to kill MRSA.¹
3. Staff at Northeast (LA/Eagle Rock) Station stated that there are potential environmental issues in the soil of the Northeast Police Station. A new facility will be built on the same site.
4. Some of the jails/holding areas the committee inspected were unsatisfactory:

Bell Gardens Police Department: The inspection revealed peeling paint. There were locks on cabinets holding detainees' belongings, but there were no keys. One cell was not useable because of broken plumbing pipes.

Bellflower Courthouse Jail: Radio dead zones exist in some areas within the courthouse. The refrigerator registered at an unsafe temperature. Staff stated the gun lockup needed to be upgraded and the sally port needed to be enhanced. Alarm systems for exit doors were not operable.

Compton Courthouse Jail: The building was very old. There were scratches throughout the facility. The walls and ceilings in the cells were in poor condition. There was low water pressure in cells and in the lock-up area. Walls and ceilings throughout

¹ According to research by the Mayo Clinic, MRSA is spread by skin contact. It affects healthy people in settings where skin contact is likely, such as contact sports, or groups living in crowded and unsanitary conditions.

the facility needed to be painted. Food for inmates was left unrefrigerated and out in the open.

East Los Angeles Courthouse Jail: The turn-out gear does not fit staff and had never been used. There was graffiti all over floor of holding cells. The staffing level was in flux due to court consolidation. There were no defibrillators at this facility.

Inglewood Juvenile Courthouse Jail: The facility was built in 1976 and had not been properly maintained (graffiti and peeled paint on the wall, and the floor tile needed to be repaired). The sally port was inadequate, having a narrow path from outside of the building to the courthouse. Packaged food for inmates was delivered and stored in a portable cooler rather than refrigerated. The health inspection was done roughly five months ago, and the facility did not pass. In case of an emergency, a deputy at the detention facility needed to call the dispatcher first before connecting to the 911 Call Center.

Men's Central Jail: The facility was old but was clean. The old section was built in 1963 and the new section was built in 1973. There were ongoing plumbing problems. The kitchen operation was running well and it was clean. It serviced roughly 20,000 meals per day—mainly packaged food for Central Jail and Twin Towers. A chapel on-site performs services multiple times daily. Staff stated pest control and plumbing were the major issues. The facility was overcrowded.

Redondo Beach Police Department: Cameras within the facility were installed but were not yet operational.

RECOMMENDATIONS

14.1 The Los Angeles Police Department (LAPD) should continue recruitment efforts to fill vacant detention officer positions.

14.2 LAPD management should communicate with staff at Northeast Police Station about steps being taken to ensure environmental safety at the site of the current and the proposed buildings.

14.3 The Redondo Beach Police Department should ensure that all cameras are operational within the facility.

14.4 The Los Angeles County Sheriff's Department (LASD) should communicate with the Judicial Council of California about the Bellflower Courthouse Jail building to resolve safety issues due to radio dead zones and to repair the alarm systems for exit doors. LASD should also upgrade the gun lock-up and ensure the temperature on the refrigerator meets the food safety standard.

14.5 LASD should communicate with the Judicial Council of California about repairing the Compton Courthouse holding area. LASD should ensure food for inmates is refrigerated properly.

14.6 LASD should remove graffiti in the cells at East Los Angeles Courthouse Jail and should ensure the turn-out gear fits the deputies working at this facility.

14.7 The Los Angeles County Probation Department (Probation) should repair/upgrade the Inglewood Juvenile Courthouse Jail. In addition, Probation should ensure the facility passes annual health inspections without any issues. Probation should install a refrigerator instead of using a portable cooler for storing food for juveniles. Probation should streamline the 911 emergency call processes at this facility.

14.8 The LASD should promptly resolve the ongoing plumbing and pest issues in the Men's Central Jail building without waiting to address the larger issue of overcrowding.

14.9 Probation should resolve staffing-level issues at its camps and properly maintain first-aid kits there.

REQUEST FOR RESPONSE

Recommendation Number	Responding Agency
14.1–14.2	Los Angeles Police Department
14.3	Redondo Beach Police Department
14.4–14.6, 14.8	Los Angeles County Sheriff’s Department
14.7, 14.9	Los Angeles County Probation Department

ACRONYMS

CGJ Los Angeles County 2014–2015 Civil Grand Jury

LASD Los Angeles County Sheriff’s Department

LAPD Los Angeles Police Department

MRSA Methicillin-Resistant Staphylococcus Aureus

COMMITTEE MEMBERS

Steve Yi, chair

John A. Rangel, vice chair

Earline C. Parker, secretary

John Acevedo

Octavio “Toby” Chavez

Jim Contreras

Jimmy Dixon

Larry Lyman

Joyce Simily

Adrian Tigmo

Gloria M. Wilson

Margaret M. Yasuda

This page intentionally left blank.

EDIT AND PUBLISHING COMMITTEE



Dany Margolies, chair
Ben Cowitt, secretary
John Acevedo, PERT chart developer
Jimmy Dixon
Earline C. Parker
Adrian Tigmo
Steve Yi, adjunct, PERT keeper
Simeon Zano

EDIT AND PUBLICATION COMMITTEE

California Penal Code Section 933 mandates the Civil Grand Jury to publish its Final Report at the end of its term of office. Each standing and investigative committee of the jury must submit its report, which has been read and approved by the entire jury, for inclusion in the Final Report.

For a more efficient workflow, the Los Angeles County 2014–2015 Civil Grand Jury combined the traditionally separate Edit and Publication committees into one committee (committee). Early in its tenure, the committee recommended to the jury a format for this Final Report, as well as methods for efficient and precise report-writing techniques.

Committee members developed timelines, along with a pictorial display of timelines known as a Program Evaluation and Review Technique chart. This ensured that deadlines were met—not only for the printing of this report but also to allow ample time for legal counsel and our supervising judge to thoroughly examine and analyze our written product.

During the year, as each investigative and standing committee submitted its report, the Edit and Publication Committee read each report to ensure that the content was unambiguous, concise, sourced, fact-checked, and best set forth the work done by each committee.

Members of the jury bore the statutory duty of delivering copies of relevant portions of the reports to “applicable” and “responsible” persons and entities before the jury’s term ended.

Approximately 750 copies of this Final Report were printed and distributed. Recipients of these copies include but are not limited to the Los Angeles County Board of Supervisors, judges of the Superior Court, District Attorney, Public Defender, Los Angeles City Attorney, Los Angeles County Counsel, Los Angeles County Probation Department, Los Angeles County Sheriff’s Department, police chiefs and mayors of cities throughout Los Angeles County, special districts, and public interest groups.

This Final Report is also published on the Internet for viewing by the public.

COMMITTEE MEMBERS

Dany Margolies, chair

Ben Cowitt, secretary

John Acevedo, PERT chart developer

Jimmy Dixon

Earline C. Parker

Adrian Tigmo

Simeon Zano

Steve Yi, adjunct, PERT keeper

This page intentionally left blank.

SOCIAL COMMITTEE



Joyce Simily, chair
Margaret M. Yasuda, vice chair
Jimmy Dixon, secretary
Ben Cowitt, treasurer
Shari E. Pearce

SOCIAL COMMITTEE

The Los Angeles County Civil Grand Jury's Social Committee organizes social events, provides the jury with beverages and kitchen supplies, and promotes camaraderie and cohesiveness among the jurors.

The 2014–2015 Social Committee established committee guidelines, which the Los Angeles County 2014–2015 Civil Grand Jury (CGJ) adopted. The committee inventoried supplies and prepared lists of supplies to be purchased. The committee established a fund for bottled water delivery, coffee, tea, sweeteners, creamers, utensils, cups, and plates. Based upon the estimated costs of these goods, each juror contributed a set amount to the fund. The committee purchased the goods as needed.

A monthly treasurer's report on expenditures was made available for the CGJ's review. Each workday, a scheduled committee member cleaned the coffee pots and coffee area. The committee instituted onsite monthly treats provided to the CGJ, as well as to special speakers as requested by the jury.

COMMITTEE MEMBERS

Joyce Simily, chair

Margaret M. Yasuda, vice chair

Jimmy Dixon, secretary

Ben Cowitt, treasurer

Shari E. Pearce

This page intentionally left blank.

SPEAKERS AND TOURS COMMITTEE



Larry Lyman, chair
Virgil L. Greer Jr., vice chair
Joyce Simily
Wesley C. Thompson
Gloria M. Wilson

SPEAKERS AND TOURS COMMITTEE

The Los Angeles County 2014–2015 Civil Grand Jury (CGJ) charged its Speakers and Tours Committee with the responsibility of inviting public officials to address the CGJ on their areas of expertise. The committee also arranged tours within county facilities so the CGJ could observe their physical structure, administrative staffing, and budgetary issues and thus evaluate the operation of these facilities.

The guest speakers and tours provided the CGJ with information to determine possible areas of investigation.

The tables below list the 2014–2015 Civil Grand Jury speakers and tours.

DATE	SPEAKER	TITLE
07/23/14	John Naimo Arlene Barrera Robert Smythe	<ul style="list-style-type: none"> • Acting Auditor-Controller, County of Los Angeles • Assistant Auditor-Controller • Division Chief, Audit
08/20/14	Jerry Powers	Chief Probation Officer, County of Los Angeles Probation Department
08/27/14	Mitchell H. Katz	Director, Los Angeles County Department of Health Services
08/27/14	Tom Travis	General Manager, Information Technology Service
09/03/14	Marvin J. Southard	Director, Los Angeles County Department of Mental Health
09/03/14	Mark Fajardo Craig R. Harvey	<ul style="list-style-type: none"> • Chief Medical Examiner–Coroner, County of Los Angeles Department of Medical Examiner–Coroner • Chief Coroner Investigator & Chief of Operations

09/10/14	Judy Chiasson Holly Priebe-Diaz	<ul style="list-style-type: none"> • Program Coordinator, Human Relations, Diversity & Equity, Los Angeles Unified School District • Intervention Coordinator
09/18/14	William W. Hodgman	Assistant District Attorney, County of Los Angeles
09/23/14	Sharon Moller	Interim County Tax Assessor
09/23/14	Dean C. Logan Debbie Martin	<ul style="list-style-type: none"> • Los Angeles County Registrar-Recorder/County Clerk • Chief Deputy
09/24/14	Max Huntsman	Inspector General, Office of the Inspector General
09/29/14	Michael D. Antonovich	<ul style="list-style-type: none"> • Supervisor, Fifth District, Los Angeles County Board of Supervisors
10/03/14	Philip L. Browning	Director, County of Los Angeles Department of Children and Family Services
10/07/14	Mike Feuer	Los Angeles City Attorney
11/06/14	Warren R. Asmus	Chief, Court Services Division, County of Los Angeles Sheriff's Department
11/12/14	David Yoshihara	Superintendent of Schools, San Gabriel Unified School District
11/12/14	Sandra Lyon	Superintendent, Santa Monica–Malibu Unified School District
11/19/14	Don Brann	State Trustee, Inglewood Unified School District
12/04/14	Franklin D. Pratt	Medical Director, Executive Office, County of Los Angeles Fire Department
12/18/14	Mark Ridley-Thomas Sachi A. Hamai	<ul style="list-style-type: none"> • Supervisor, Second District, Los Angeles County Board of Supervisors • Interim Chief Executive Officer, Los Angeles County
1/13/15	Francisco Rodriguez Camille A. Goulet	<ul style="list-style-type: none"> • Chancellor, Los Angeles Community College District • General Counsel, LA

		Community College District
1/14/15	Katie Braude	Vice President, Los Angeles County Board of Education, Los Angeles County Office of Education
01/20/15	Valerie A. Munoz Jeffrey E. Elder Astrid McDuffee	<ul style="list-style-type: none"> • Senior Management Analyst, Public Access Defibrillator Program, Los Angeles (City) Fire Department • Battalion Chief/Paramedic, Los Angeles Fire Department • Sergeant, Safety Management Unit, Risk Management Bureau, Los Angeles Sheriff's Department
01/28/15	Rick Cole	Deputy Mayor, Budget & Innovation, City of Los Angeles
02/02/15	Jim McDonnell	Sheriff, County of Los Angeles Sheriff's Department
02/18/15	LeRoy J. Jackson	City Manager, Torrance
03/12/15	Sheila Kuehl	Supervisor, Third District, Los Angeles County Board of Supervisors

DATE	TOUR or VISIT	LOCATION
7/31/14	Clara Shortridge Foltz Criminal Justice Center	Los Angeles
8/7/14	Twin Towers	Los Angeles
8/12/14	County Board of Supervisors meeting	Los Angeles
8/14/14	311 Call Center	Los Angeles
8/19/14	Challenger Memorial Youth Center	Lancaster
8/21/14	Century Regional Detention Facility	Lynwood
8/26/14	Pitchess Detention Center	Valencia
9/16/14	911 Call Center	Los Angeles
9/22/14	Los Angeles City Hall	Los Angeles

9/25/14	Camp Joseph Scott	Santa Clarita
10/2/14	Medical Examiner-Coroner facility	Los Angeles
10/23/14	Hyperion Treatment Plant	Playa del Rey
11/4/14	Los Angeles Harbor	San Pedro

COMMITTEE MEMBERS

Larry Lyman, chair

Virgil L. Greer Jr. vice chair

Joyce Simily, secretary

Wesley C. Thompson

Gloria M. Wilson